
RotoFlow™ Assembly/Fittings - (1 = 1/16")



High Flow Turbine

RotoFlow™ Use (4) 1/4-20 x 2-1/4" SHCS

| Port In | Port Out | Gpm | Lpm | Model Price |
|---------|----------|------|-------|-------------------|
| 1/4" | 1/4" | 1-5 | 4-20 | RFH-0404 \$185.00 |
| 3/8" | 3/8" | 1-12 | 4-46 | RFH-0606\$185.00 |
| 1/2" | 1/2" | 1-22 | 4-82 | RFH-0808\$185.00 |
| 3/4" | 3/4" | 1-40 | 4-152 | RFH-1212\$185.00 |
| 1" | 1" | 1-60 | 4-400 | RFH-1616\$185.00 |
| 1-1/4" | 1-1/4" | 1-60 | 4-400 | RFH-2020 \$185.00 |



Low Flow Turbine

RotoFlow™ Use (4) 1/4-20 x 2-1/4" SHCS

| Port In | Port Out | Gpm | Lpm | Model Price |
|---------|----------|--------|------|-------------------|
| 1/8" | 1/8" | .5-2.4 | 2-9 | RFL-0202 \$185.00 |
| 1/4" | 1/4" | .5-5.2 | 2-20 | RFL-0404 \$185.00 |
| 3/8" | 3/8" | .5-8 | 2-30 | RFL-0606 \$185.00 |
| 1/2" | 1/2" | .5-10 | 2-38 | RFL-0808\$185.00 |



L-Low Flow Turbine

RotoFlow™ Use (4) 1/4-20 x 2-1/4" SHCS

| Port In | Port | Gpm | Lpm | Model Price |
|---------|------|--------|-------|-------------------|
| 1/8" | 1/8" | .28 | .8-3 | RF6-0202 \$185.00 |
| 1/4" | 1/4" | .2-3.4 | .8-14 | RF6-0404 \$185.00 |
| 3/8" | 3/8" | .2-4.0 | .8-15 | RF6-0606 \$185.00 |



High Flow Turbine - Flow Certification - \$110/Request

RotoFlow™ with Quick Disconnect Fittings, use (4) 1/4-20 x 2-1/4" SHCS


| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|--------|------|-------|------------|------------|----------|
| 1/4" | 1-5 | 4-20 | "C" SERIES | RFH-0404-C | \$215.00 |
| 3/8" | 1-12 | 4-46 | "C" SERIES | RFH-0606-C | \$215.00 |
| 1/2" | 1-22 | 4-82 | "C" SERIES | RFH-0808-C | \$230.00 |
| 3/4" | 1-40 | 4-152 | "S" SERIES | RFH-1212-S | \$250.00 |
| 1" | 1-60 | 4-400 | "S" SERIES | RFH-1616-S | \$282.00 |
| 1-1/4" | 1-60 | 4-400 | "S" SERIES | RFH-2020-S | \$314.00 |



Low Flow Turbine

RotoFlow™ with Quick Disconnect Fittings, use (4) 1/4-20 x 2-1/4" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|--------|------|------------|------------|-----------|
| 1/8" | .5-2.4 | 2-9 | "C" SERIES | RFL-0202-C | \$ 206.00 |
| 1/4" | .5-5.2 | 2-20 | "C" SERIES | RFL-0404-C | \$ 209.00 |
| 3/8" | .5-8 | 2-30 | "C" SERIES | RFL-0606-C | \$ 215.00 |
| 1/2" | .5-10 | 2-38 | "C" SERIES | RFL-0808-C | \$ 231.00 |



L-Low Flow Turbine

RotoFlow™ with Quick Disconnect Fittings, use (4) 1/4-20 x 2-1/4" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|--------|-------|------------|------------|-----------|
| 1/8" | .28 | .8-3 | "C" SERIES | RF6-0202-C | \$ 206.00 |
| 1/4" | .2-3.4 | .8-13 | "C" SERIES | RF6-0404-C | \$ 209.00 |
| 3/8" | .2-4.0 | .8-15 | "C" SERIES | RF6-0606-C | \$ 215.00 |

RotoFlow $^{\text{TM}}$ with Screen Assembly (RS) - (1 = 1/16")



High Flow Turbine

RotoFlow™ with Screen Insert, use (4) 1/4-20 x 2.6" SHCS

| Port In | Port Out | Gpm | Lpm | Model | Price |
|---------|----------|------|-------|----------|-----------|
| 1/4" | 1/4" | 1-5 | 4-20 | RSH-0404 | \$ 221.00 |
| 3/8" | 3/8" | 1-12 | 4-46 | RSH-0606 | \$ 221.00 |
| 1/2" | 1/2" | 1-22 | 4-82 | RSH-0808 | \$ 221.00 |
| 3/4" | 3/4" | 1-40 | 4-152 | RSH-1212 | \$ 221.00 |
| 1" | 1" | 1-60 | 4-400 | RSH-1616 | \$ 221.00 |



Low Flow Turbine

CALIBRATED WITH FLOW STRAIGHTENER (MIN LENGTH 5X PIPE DIA.)

RotoFlow™ with Screen Insert, use (4) 1/4-20 x 2.6" SHCS


| Port In | Port Out | Gpm | Lpm | Model Price | |
|---------|----------|--------|-------------|--------------------|--|
| 1/8" | 1/8" | .5-2.4 | 2 -9 | RSL-0202 \$ 221.00 | |
| 1/4" | 1/4" | .5-5.2 | 2-20 | RSL-0404 \$ 221.00 | |
| 3/8" | 3/8" | .5-8 | 2-30 | RSL-0606 \$ 221.00 | |
| 1/2" | 1/2" | .5-10 | 2-38 | RSL-0808\$ 221.00 | |



L-Low Flow Turbine

RotoFlow™ with Screen Insert, use (4) 1/4-20 x 2.6" SHCS

| Port In | Port Out | Gpm | Lpm | Model | Price |
|---------|-----------------|--------|-------|----------|-----------|
| 1/8" | 1/8" | .28 | .8-3 | RS6-0202 | \$ 221.00 |
| 1/4" | 1/4" | .2-3.4 | .8-14 | RS6-0404 | \$ 221.00 |
| 3/8" | 3/8" | .2-4.0 | .8-15 | RS6-0606 | \$ 221.00 |



High Flow Turbine

RotoFlow[™] with Screen Insert and Quick Disconnect Fittings. Use (4) 1/4-20 x 2.6" SHCS


| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|------|-------|------------|------------|-----------|
| 1/4" | 1-5 | 4-20 | "C" SERIES | RSH-0404-C | \$ 250.00 |
| 3/8" | 1-12 | 4-46 | "C" SERIES | RSH-0606-C | \$ 250.00 |
| 1/2" | 1-22 | 4-82 | "C" SERIES | RSH-0808-C | \$ 267.00 |
| 3/4" | 1-40 | 4-152 | "S" SERIES | RSH-1212-S | \$ 286.00 |
| 1" | 1-60 | 4-400 | "S" SERIES | RSH-1616-S | \$ 318.00 |



Low Flow Turbine

RotoFlow[™] with Screen Insert and Quick Disconnect Fittings. Use (4) 1/4-20 x 2.6" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|--------|-------------|------------|------------|-----------|
| 1/8" | .5-2.4 | 2 -9 | "C" SERIES | RSL-0202-C | \$ 243.00 |
| 1/4" | .5-5.2 | 2-20 | "C" SERIES | RSL-0404-C | \$ 245.00 |
| 3/8" | .5-8 | 2-30 | "C" SERIES | RSL-0606-C | \$ 250.00 |
| 1/2" | .5-10 | 2-38 | "C" SERIES | RSL-0808-C | \$ 267.00 |




L-Low Flow Turbine

RotoFlow[™] with Screen Insert and Quick Disconnect Fittings Use (4) 1/4-20 x 2.6" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|--------|-------|------------|------------|-----------|
| 1/8" | .28 | .8-3 | "C" SERIES | RS6-0202-C | \$ 243.00 |
| 1/4" | .2-3.4 | .8-13 | "C" SERIES | RS6-0404-C | \$ 245.00 |
| 3/8" | .2-4.0 | .8-15 | "C" SERIES | RS6-0606-C | \$ 250.00 |

RotoFlow ™ with Temperature Insert (RT) - (1 = 1/16")



High Flow Turbine

RotoFlow™ with Temperature Insert, use (4) 1/4-20 x 3" SHCS

| Port In | Port Out | Gpm | Lpm | Model Price |
|---------|----------|------|-------|--------------------|
| 1/4" | 1/4" | 1-5 | 4-20 | RTH-0404 \$ 232.00 |
| 3/8" | 3/8" | 1-12 | 4-46 | RTH-0606 \$ 232.00 |
| 1/2" | 1/2" | 1-22 | 4-82 | RTH-0808 \$ 232.00 |
| 3/4" | 3/4" | 1-40 | 4-152 | RTH-1212 \$ 232.00 |
| 1" | 1" | 1-60 | 4-400 | RTH-1616 \$ 232.00 |
| 1-1/4" | 1-1/4" | 1-60 | 4-400 | RTH-2020\$ 232.00 |



Low Flow Turbine

RotoFlow™ with Temperature Insert, use (4) 1/4-20 x 3" SHCS

| Port In | Port Out | Gpm | Lpm | Model Price |
|---------|----------|--------|------|--------------------|
| 1/8" | 1/8" | .5-2.4 | 2-9 | RTL-0202 \$ 232.00 |
| 1/4" | 1/4" | .5-5.2 | 2-20 | RTL-0404 \$ 232.00 |
| 3/8" | 3/8" | 5-8 | 2-30 | RTL-0606 \$ 232.00 |
| 1/2" | 1/2" | .5-10 | 2-38 | RTL-0808 \$ 232.00 |



L-Low Flow Turbine

RotoFlow™ with Temperature Insert, use (4) 1/4-20 x 3" SHCS


| Port In | Port Out | Gpm | Lpm | Model Price |
|---------|----------|--------|-------|--------------------|
| 1/8" | 1/8" | .28 | .8-3 | RT6-0202 \$ 232.00 |
| 1/4" | 1/4" | .2-3.4 | .8-14 | RT6-0404 \$ 232.00 |
| 3/8" | 3/8" | .2-4.0 | .8-15 | RT6-0606 \$ 232.00 |



High Flow Turbine (Flow Certification Upon Request \$140)

RotoFlow™ with Temperature Insert and Quick Disconnect Fittings


Use (4) 1/4-20 x 3" SHCS **Port** Q-Coupling Model **Price Gpm** Lpm "C" SERIES 1/4" 1-5 4-20 RTH-0404-C . . . \$ 260.00 3/8" 1-12 4-46 "C" SERIES RTH-0606-C . . .\$ 260.00 1/2" 1-22 "C" SERIES RTH-0808-C ...\$ 278.00 4-82 "S" SERIES RTH-1212-S \$ 296.00 3/4" 1-40 4-152 RTH-1616-S \$ 313.00 1" "S" SERIES 1-60 4-400 1-1/4" 1-60 4-400 "S" SERIES RTH-2020-S \$ 332.00



Low Flow Turbine (Flow Certification Upon Request \$140)

RotoFlow™ with Temperature Insert and Quick Disconnect Fittings Use (4) 1/4-20 x 3" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|--------|------|------------|------------|-----------|
| 1/8" | .5-2.4 | 2-9 | "C" SERIES | RTL-0202-C | \$ 253.00 |
| 1/4" | .5-5.2 | 2-20 | "C" SERIES | RTL-0404-C | \$ 256.00 |
| 3/8" | .5-8 | 2-30 | "C" SERIES | RTL-0606-C | \$ 262.00 |
| 1/2" | .5-10 | 2-38 | "C" SERIES | RTL-0808-C | \$ 278.00 |



L-Low Flow Turbine (Flow Certification Upon Reguest \$140)

RotoFlow™ with Temperature Insert and Quick Disconnect Fittings Use (4) 1/4-20 x 3" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|--------|-------|------------|------------|-----------|
| 1/8" | .28 | .8-3 | "C" SERIES | RT6-0202-C | \$ 253.00 |
| 1/4" | .2-3.4 | .8-13 | "C" SERIES | RT6-0404-C | \$ 256.00 |
| 3/8" | .2-4.0 | .8-15 | "C" SERIES | RT6-0606-C | \$ 262.00 |

RotoFlow™ Combinations - Screen/Temperature Insert (RC) - (1 = 1/16")



High Flow Turbine

RotoFlow™ with Screen and Temperature Insert, use (4) 1/4-20 x 2.25" SHCS

| Port In | Port Out | Gpm | Lpm | Model Price |
|---------|----------|------|-------|--------------------|
| 1/4" | 1/4" | 1-5 | 4-20 | RCH-0404 \$ 350.00 |
| 3/8" | 3/8" | 1-12 | 4-46 | RCH-0606 \$ 350.00 |
| 1/2" | 1/2" | 1-22 | 4-82 | RCH-0808 \$ 350.00 |
| 3/4" | 3/4" | 1-40 | 4-152 | RCH-1212 \$ 350.00 |
| 1" | 1" | 1-60 | 4-400 | RCH-1616 \$ 350.00 |



Low Flow Turbine

CALIBRATED WITH FLOW STRAIGHTENER (MIN LENGTH 5X PIPE

DIA.

RotoFlow™ with Screen and Temperature Insert, use (4) 1/4-20 x 3.25" SHCS


| Port In | Port Out | Gpm | Lpm | Model | Price |
|---------|----------|--------|------|----------|-----------|
| 1/8" | 1/8" | .5-2.4 | 2-9 | RCL-0202 | \$ 350.00 |
| 1/4" | 1/4" | .5-5.2 | 2-20 | RCL-0404 | \$ 350.00 |
| 3/8" | 3/8" | .5-8 | 2-30 | RCL-0606 | \$ 350.00 |
| 1/2" | 1/2" | .5-10 | 2-38 | RCL-0808 | \$ 350.00 |



L-Low Flow Turbine

RotoFlow[™] with Screen and Temperature Insert, use (4) 1/4-20 x 3.25" SHCS

| Port In | Port Out | Gpm | Lpm | Model Price |
|---------|-----------------|--------|---------------|--------------------|
| 1/8" | 1/8" | .28 | . 8 -3 | RC6-0202 \$ 350.00 |
| 1/4" | 1/4" | .2-3.4 | .8-14 | RC6-0404 \$ 350.00 |
| 3/8" | 3/8" | .2-4.0 | .8-15 | RC6-0606 \$ 350.00 |



RotoFlow™ with Screen, Temperature Insert and Quick Disconnect Fittings Use (4) 1/4-20 x 3.25" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|------|-------|------------|--------------|-----------|
| 1/4" | 1-5 | 4-20 | "C" SERIES | RCH-0404-C . | \$ 295.00 |
| 3/8" | 1-12 | 4-46 | "C" SERIES | RCH-0606-C . | \$ 297.00 |
| 1/2" | 1-22 | 4-82 | "C" SERIES | RCH-0808-C . | \$ 315.00 |
| 3/4" | 1-40 | 4-152 | "S" SERIES | RCH-1212-S . | \$ 356.00 |
| 1" | 1-60 | 4-400 | "S" SERIES | RCH-1616-S . | \$ 378.00 |



Low Flow Turbine

RotoFlow™ with Screen,Temperature Insert and Quick Disconnect Fittings Use (4) 1/4-20 x 3.25" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|--------|------|------------|--------------|-----------|
| 1/8" | .5-2.4 | 2-9 | "C" SERIES | RCL-0202-C . | \$ 290.00 |
| 1/4" | .5-5.2 | 2-20 | "C" SERIES | RCL-0404-C . | \$ 292.00 |
| 3/8" | .5-8 | 2-30 | "C" SERIES | RCL-0606-C . | \$ 296.00 |
| 1/2" | .5-10 | 2-38 | "C" SERIES | RCL-0808-C . | \$ 315.00 |



L-Low Flow Turbine

RotoFlow[™] with Screen,Temperature Insert and Quick Disconnect Fittings Use (4) 1/4-20 x 3.25" SHCS

| Port | Gpm | Lpm | Q-Coupling | Model | Price |
|------|--------|-------|------------|------------|-----------|
| 1/8" | .23 | .8-3 | "C" SERIES | RC6-0202-C | \$ 290.00 |
| 1/4" | .2-3.4 | .8-13 | "C" SERIES | RC6-0404-C | \$ 292.00 |
| 3/8" | .2-4.0 | .8-15 | "C" SERIES | RC6-0606-C | \$ 315.00 |